

AC-98

MASTER CATALOG

Visit our web site @ www.clarkbrothers.net



QUALITY AUTOMOTIVE INSTRUMENTS & TEST EQUIPMENT

5102 Ammeter 60-0-60 AMPS

5106 Water Temp Gauge 100-280°F (12V)

5107 Water Temp Gauge 100-280°F (24V)

5108 Oil Pressure Gauge 0-100 PSI (12V)

5109 Oil Pressure Gauge 0-100 PSI (24V)

5114 Voltmeter 10-16V (12V)

5115 Voltmeter 20-32V (24V)

5120 Fuel Level Gauge E-F (12V)

5121 Fuel Level Gauge E-F (24V)



All Gauges Made in the USA and Shipped with Light Kit, Mounting Bracket and Hardware.

Features:

- Mounting bracket and hardware included
- Bayonet light kit (includes bulb)
- 2" case made of Lexan polymer blend
- Low profile case
- Stainless steel bezel
- Red pointer

Sending units for Electrical Gauges

4077
16040
17222

Fuel Level Sender
Water Temperature Sender
Oil Pressure Sender


(Need to be ordered separately)

The HD-USA series is Accurate's most popular and complete line of **Made in the USA** gauges. These gauges feature steel cases, satin finished chrome bezels and crisp white on black single scale dial graphics. Each gauge comes complete and ready for installation and include all mounting hardware and a light kit. All gauges are packaged in an attractive multi-lingual, windowed display box which can be peg boarded or stacked on a shelf.

Over the past forty years **Accurate Instruments** has sold millions of these gauges all over the world. It is with great pleasure and supreme confidence that we are pleased to announce that the warranty on this product line has been **extended to 2 Years**. We are very proud of these products and their quality and want you to have this same confidence in our products.

NEW PRODUCTS

With this release of our catalog we are introducing a number of new items which are detailed below.



4806 Replacement Mechanical Water Temperature Gauge

- 100-280° temperature range
- 90° pointer sweep
- 12 ft. capillary tube
- Lighting and mounting hardware included
- USA made



15357 Replacement Mechanical Water Temperature Gauge

- 100-280° temperature range
- 270° pointer sweep
- 12 ft. capillary tube
- Lighting and mounting hardware included
- USA made



15358 Replacement Mechanical Water Temperature Gauge

- 100-280° temperature range
- 270° pointer sweep
- 18 ft. capillary tube
- Lighting and mounting hardware included
- USA made



15389 Hourmeter Mini-Rectangular

- 10,000 hour cycle range
- Operates in 8-80 volts DC range
- Mounting hardware included
- USA made



**3807
Replacement Ammeter Gauge**

- 60-0-60 amp range
- 90° pointer sweep
- Lighting and mounting hardware included
- USA made

**3809
Replacement Ammeter Gauge**

- 30-0-30 amp range
- 90° pointer sweep
- Lighting and mounting hardware included
- USA made

**15403
Replacement Ammeter Gauge
Heavy Duty**

- 100-0-100 amp range
- External shunt included
- 90° pointer sweep
- Lighting and mounting hardware included
- USA made

**15404
Replacement Ammeter Gauge
Heavy Duty**

- 200-0-200 amp range
- External shunt included
- 90° pointer sweep
- Lighting and mounting hardware included
- USA made

**4035ACC
Replacement Fuel
Level Gauge**

- E- $\frac{1}{2}$ -F fuel range
- 90° pointer sweep
- Requires 4077 fuel level sender
- Lighting and mounting hardware included
- USA made





**4096
Replacement Voltmeter**

- 10-17 volt range
- 90° pointer sweep
- Works on 12 volt systems
- Lighting and mounting hardware included
- USA made

**4097
Replacement Voltmeter**

- 20-32 volt range
- 90° pointer sweep
- Works on 24 volt systems
- Lighting and mounting hardware included
- USA made

**4098ACC
Replacement Voltmeter**

- 30-48 volt range
- 90° pointer sweep
- Works on 36 volt systems
- Lighting and mounting hardware included
- USA made

**3806
Replacement Mechanical Oil
Pressure Gauge**

- 0-100 lbs. pressure range
- 90° pointer sweep
- Lighting and mounting hardware included
- Requires 3849 oil installation kit
- USA made

**15352
Replacement Mechanical Oil
Pressure Gauge**

- 0-100 lbs. pressure range
- 270° pointer sweep
- Lighting and mounting hardware included
- Requires 3849 oil installation kit
- USA made

**15080
Replacement Electrical Oil
Pressure Gauge**

- 0-100 lbs. pressure range
- 90° pointer sweep
- Requires 17222 oil pressure sender
- Lighting and mounting hardware included
- USA made





**4085
Replacement Mechanical Water
Temperature Gauge**

- 100°-280° temperature range
- 90° pointer sweep
- 6 ft. capillary tube
- Lighting and mounting hardware included
- USA made
- For certain Chrysler and Ford applications order part number 15421 Adaptor

**15354
Replacement Mechanical Water
Temperature Gauge**

- 100°-280° temperature range
- 270° pointer sweep
- 6 ft. capillary tube
- Lighting and mounting hardware included
- USA made
- For certain Chrysler and Ford applications order part number 15421 Adaptor

**15073
Replacement Electrical Water
Temperature Gauge**

- 100°-280° temperature range
- 90° pointer sweep
- Requires 16040 water temperature sender
- Lighting and mounting hardware included
- USA made

**15353
Replacement Mechanical
Vacuum Gauge**

- 0-30 inches of vacuum range
- 270° pointer sweep
- Requires 15401 vacuum installation kit
- Lighting and mounting hardware included
- USA made

**15030
Replacement Mechanical Air
Pressure Gauge**

- 0-160 lbs. pressure range
- 270° pointer sweep
- Lighting and mounting hardware included
- USA made

**15387
Hour Meter**

- 10,000 hour cycle range
- Operates in 4-40 volts DC range
- Black bezel surface mounted
- Mounting hardware included
- USA made

**15388
Hour Meter**

- 10,000 hour cycle range
- Operates in 4-40 volts DC range
- Chrome bezel with U-clamp mount
- Mounting hardware included
- USA made



The AUTO-USA series is Accurate's **Made in the USA** answer for the discriminating automotive after market buyer of gauges. These gauges feature steel cases, black bezels and crisp dual color, dual scale dial graphics. Since most newer applications use black bezels this series is an ideal replacement for those newer applications. Each gauge comes complete and ready for installation and include all mounting hardware and a light kit. All gauges are packaged in an attractive, multi-lingual, windowed display box which can be peg boarded or stacked on a shelf.

Over the past forty years **Accurate Instruments** has sold millions of these gauges all over the world. It is with great pleasure and supreme confidence that we are pleased to announce that the warranty on this product line has been **extended to 2 Years**. We are very proud of these products and their quality and want you to have this same confidence in our products.

NEW PRODUCTS

With this release of our catalog we are introducing a number of new items which are detailed below.



15632 Replacement Mechanical Water Temperature Gauge

- 100-280° temperature range
- 270° pointer sweep
- 12 ft. capillary tube
- Lighting and mounting hardware included
- USA made



15633 Replacement Mechanical Water Temperature Gauge

- 100-280° temperature range
- 90° pointer sweep
- 12 ft. capillary tube
- Lighting and mounting hardware included
- USA made



15635 Electrical Fuel Level Kit

- E-1/2-F fuel range
- 90° pointer sweep
- Requires fuel level sender 4077
- Lighting and hardware kits included
- USA made



15670 Mechanical Triple Gauge Kit

- 10-16 volt DC Voltmeter
- 100-280° temperature gauge
- 0-100 psi pressure gauge
- 90° pointer sweep
- Lighting and hardware kits included
- USA made



**15601
Replacement Mechanical Oil
Pressure Gauge**

- 0-100 lbs. pressure range
- 270° pointer sweep
- Lighting and mounting hardware included
- Requires 3849 oil installation kit
- USA made

**15607
Replacement Mechanical Oil
Pressure Gauge**

- 0-160 lbs. pressure range
- 270° pointer sweep
- Lighting and mounting hardware included
- Requires 3849 oil installation kit
- USA made

**15602
Replacement Mechanical Oil
Temperature Gauge**

- 100°-280° temperature range
- 270° pointer sweep
- 6 ft. capillary tube
- Lighting and mounting hardware kits included
- USA made
- For certain Chrysler and Ford applications order part number 15421 Adaptor

**15603
Replacement Vacuum Gauge**

- 0-30 inches vacuum range
- 270° pointer sweep
- Requires 15401 vacuum installation kit
- Lighting and mounting hardware kits included
- USA made





**15610
Replacement Ammeter Gauge**

- 60-0-60 amp range
- 90° pointer sweep
- Lighting and mounting hardware included
- USA made

**15608
Replacement Voltmeter Gauge**

- 10-17 volt range DC
- 90° pointer sweep
- Lighting and mounting hardware included
- USA made

**15611
Replacement Mechanical Oil Pressure Gauge**

- 0-100 lbs. pressure range
- 90° pointer sweep
- Lighting and mounting hardware included
- Requires 3849 oil installation kit
- USA made

**15615
Replacement Electrical Oil Pressure Gauge**

- 0-100 lbs. pressure range
- 90° pointer sweep
- Requires 17222 oil pressure sender
- Lighting and mounting hardware included
- USA made


**15613
Replacement Mechanical Water Temperature Gauge**

- 100°-280° temperature range
- 90° pointer sweep
- 6 ft. capillary tube
- Lighting and mounting hardware included
- USA made
- For certain Chrysler and Ford applications order part number 15421 Adaptor

**15614
Replacement Electrical Water Temperature Gauge**

- 100°-280° temperature range
- 90° pointer sweep
- Requires 16040 water temperature sender
- Lighting and mounting hardware included
- USA made





**15690
Mechanical Triple Gauge Kit**

- 60-0-60 amp range
- 0-100 lbs. pressure range
- 100°-280° temperature range
- 90° pointer sweep
- Lighting and hardware kits included
- USA made
- For certain Chrysler and Ford applications order part number 15421 Adaptor

**15691
Electrical Triple Gauge Kit**

- 60-0-60 amp range
- 0-100 lbs. pressure range
- 100°-280° temperature range
- 17222 and 16040 sending units included
- 90° pointer sweep
- Lighting and hardware kits included
- USA made

**15680
Mechanical Triple Gauge Kit**

- 60-0-60 amp range
- 0-100 lbs. pressure range
- 100°-280° temperature range
- 270° pointer sweep
- Lighting and hardware kits included
- USA made
- For certain Chrysler and Ford applications order part number 15421 Adaptor



The HI-COMP gauge series is Accurate's highly competitive line of Import Gauges. This gauge line includes 2" replacement gauges and 1½" mini gauges. These gauges feature steel cases, dual scale English and Metric dials and include all mounting hardware. The 2" gauges are available in Black or Chrome bezels. The mini gauges have a black bezel and are available as single or triple gauge kits. All HI-COMP gauges are packaged in an attractive multi-lingual, clam shell package which can be placed on a peg board or a gondola shelf.

NEW PRODUCTS

With this release of our catalog we have included a complete line of 1½" mini gauges. To follow are the details of this addition.



17841 1½" Mechanical Oil Pressure Gauge

- 0-100 psi
- 270° Degree sweep
- Lighting and hardware kit included



17842 1½" Mechanical Water Temperature Gauge

- 100-280° F temperature range
- 270° degree sweep
- 6 ft. capillary tube
- Lighting and hardware kit included



17844 1½" Ammeter

- 60-0-60 amp range
- Lighting and hardware kit included



17880 1½" Mechanical Triple Gauge Kit

- 60-0-60 amp range
- 0-100 psi pressure range
- 100-280° F temperature range
- 270° pointer sweep
- Lighting and hardware kits included



17214 Electrical Mini Triple Gauge Kit

- 10-17 Volts DC
- 0-100 psi pressure range
- 100-280° F temperature range
- 90° pointer sweep
- Lighting and hardware kits included

We have also added two new applications to our 2" series. To follow is the information on those products.

17658 Voltmeter

- 10-16 volt DC range
- 90° pointer sweep
- Lighting and hardware kit included

17670 Mechanical Triple Gauge Kit

- 10-16 volt DC range
- 0-100 psi pressure range
- 100-280° F temperature range
- 90° pointer sweep
- Lighting and hardware kit included



**17650
Ammeter Kit**

- 60-0-60 amp range
- 90° pointer sweep
- Lighting and hardware kits included

**17651
Mechanical Oil Pressure Kit**

- 0-80 lbs. pressure range
- 90° pointer sweep
- Lighting and hardware kits included

**17653
Mechanical Water
Temperature Kit**

- 130°-280° temperature range
- 90° pointer sweep
- 6 ft. capillary tube
- Lighting and hardware kits included
- For certain Chrysler and Ford applications order part number 15421 Adaptor

**17644
Ammeter Kit**

- 60-0-60 amp range
- 270° pointer sweep
- Lighting and hardware kits included


**17641
Mechanical Oil Pressure Kit**

- 0-80 lbs oil pressure range
- 270° pointer sweep
- Lighting and hardware kits included

**17642
Mechanical Water
Temperature Kit**

- 100°-250° temperature range
- 270° pointer sweep
- 6 ft. capillary tube
- Lighting and hardware kits included
- For certain Chrysler and Ford applications order part number 15421 Adaptor





**17550
Ammeter Kit**

- 60-0-60 amp range
- 90° pointer sweep
- Lighting and hardware kits included

**17551
Mechanical Oil Pressure Kit**

- 0-80 lbs. pressure range
- 90° pointer sweep
- Lighting and hardware kits included

**17553
Mechanical Water
Temperature Kit**

- 130°-280° temperature range
- 90° pointer sweep
- 6 ft. capillary tube
- Lighting and hardware kits included
- For certain Chrysler and Ford applications order part number 15421 Adaptor

**17690
Triple Gauge Kit**

- 60-0-60 amp range
- 0-80 lbs pressure range
- 130°-280° temperature range
- 90° pointer sweep
- Lighting and hardware kits included
- For certain Chrysler and Ford applications order part number 15421 Adaptor

**17680
Triple Gauge Kit**

- 60-0-60 amp range
- 0-80 lbs pressure range
- 130°-280° temperature range
- 270° pointer sweep
- Lighting and hardware kits included
- For certain Chrysler and Ford applications order part number 15421 Adaptor

**17590
Triple Gauge Kit**

- 60-0-60 amp range
- 0-80 lbs pressure range
- 130°-280° temperature range
- 90° pointer sweep
- Lighting and hardware kits included
- For certain Chrysler and Ford applications order part number 15421 Adaptor



ACCURATE GAUGE APPLICATION GUIDE



GAUGE TYPE	DESCRIPTION	STANDARD SERIES		HD USA SERIES		AUTO USA SERIES		HI-COMP SERIES	
		2" DIA. ELEC. 12V	2" DIA. ELEC. 24 V	2" DIA. MECH.	2" DIA. ELEC.	2" DIA. MECH.	2" DIA. ELEC.	2" DIA. MECH.	2" DIA. ELEC.
TEMPERATURE	100-280 90 DEGREE SWEEP	5106	5107		15073		15614		
	100-280 90 DEGREE 72"			4085		15613			
	100-280 90 DEGREE 144"			4086					
	100-280 90 DEGREE 72" W/PANEL							17653/17553	
	100-280 270 DEGREE 72"			15354		15602			
	100-280 270 DEGREE 72" W/PANEL							17642	
	100-280 270 DEGREE 144"			15357					
	100-280 270 DEGREE 216"			15358					
	140-320 270 DEGREE 72"			15360					
	140-320 270 DEGREE 144"			15361					
	1 1/2" MINI 100-280 270 DEGREE W/PANEL							17842	
PRESSURE	0-80 PSI 90 DEGREE W/PANEL							17651/17551	
	0-80 PSI 270 DEGREE W/PANEL							17641	
	0-100 PSI 90 DEGREE	5108	5109	3806	15080	15611	15615		
	0-100 PSI 270 DEGREE			15352		15601			
	1 1/2" MINI 0-100 PSI 270 DEGREE W/PANEL							17841	
	0-160 PSI 270 DEGREE			15030		15607			
VACUUM	0-30 Hg 270 DEGREE			15353		15603			
FUEL LEVEL	E-F 240 ohms	5120	5121		4035		15635		
AMMETER	-30 / 0 / +30 AMPS				3809				
	-60 / 0 / +60 AMPS	5102			3807		15610		
	-60 / 0 / +60 AMPS W/PANEL								17644/17650/17550
	1 1/2" MINI -60/0/+60 AMPS W/PANEL								17844
	-100 / 0 / +100 AMPS				15403				
	-200 / 0 / +200 AMPS				15404				
VOLTMETER	10 TO 17 VOLTS DC	5114			4096		15608		
	10 TO 17 VOLTS DC W/PANEL								17658
	20 TO 32 VOLTS DC	5115			4097				
	30 TO 48 VOLTS DC				4098				
TACHOMETER	0-8000 RPM BLACK							2" ELEC	3" ELEC
	0-8000 RPM CHROME							17211	17212
	0-8000 RPM BLACK INDUCTIVE								17215
	0-8000 RPM CHROME INDUCTIVE							17311	17312
									17315
TRIPLE GAUGE KITS	MECH. AMP/OIL/TEMP 90 DEGREE					15690		17690/17590	
	MECH. AMP/OIL/TEMP 270 DEGREE					15680		17680	
	MECH. VOLT/OIL/TEMP 90 DEGREE					15670		17670	
	ELEC. AMP/OIL/TEMP 90 DEGREE						15691		
	1 1/2" MINI MECH. AMP/OIL/TEMP 270 DEGREE							17880	
	ELEC. MINI VOLT/OIL/TEMP 90 DEGREE								17214
HOURMETERS	8-80 VDC ROUND STAINLESS STEEL				15388				
	8-80 VDC 3 HOLE BLACK				15387				
	8-80 VDC MINI RECTANGULAR				15389				





**15034
Professional Compression
Tester Kit**

- Scale reads standard and metric 0-300 lbs
- Kit contains:
 - 18" flex hose with ball grip
 - 7½" 45° adaptor
 - 8" straight adaptor
- Compression tester is equipped with quick release coupler
- Packaged in a rugged plastic storage box
- USA made

**20005
Standard Compression Tester**

- Scale reads standard and metric 0-300 lbs
- 2½" dial face
- Offset stem for easy access
- Nickel plated
- Pressure release at base of stem with replaceable valve
- USA made

**20004
Professional Compression Tester
with Flex Adaptor**

- Scale reads standard and metric 0-300 lbs
- 18" flex adaptor with 14mm and 18mm fittings
- 2½" dial face
- Quick release
- Nickel plated
- USA made

**20001
Vacuum and Fuel Pump Tester**

- Scale reads english and metric
- 2½" dial face
- Measures vacuum 0-30 inches
- Measures fuel pump pressure 0-10 lbs.
- Tester includes hose and adaptor
- USA made

**20022
Remote Starter Switch**

- Heavy duty 6 ft. oil resistant lead wires
- Allows car to be started from outside vehicle
- Makes testing procedures a one man job
- USA made

**17108
Inductive Current Tester**

- Dual scale
- Rugged all metal with chrome finish
- Measures starter and alternator current without removing wire connections
- USA made



**17205
Pocketsized Multi Tester**

- Wide range of capabilities
- Pocket-size and lightweight
- Mirrored scale plate - eliminates errors due to parallax
- Diode protected meter
- Recessed safety designed input terminals
- High impact thermoplastic case
- Leather case - Part No. 17213

**17236
Lead Wires for 17205**

**17237
Replacement Fuse for 17205**

- Fuse - 5 x 20 mm .25A 250V

**17213
Multi Tester Case**

- Use with part number 17205

**17217
Multi Tester**

- 6 functions, 20 positions
- 20,000 Ohms/Volt DC/AC Sensitivity
- Single knob function switch
- Safety test leads & instructions
- Fuse protected
- Use one "AA" (1.5V) battery included
- 1.5 and 9 Volt Battery Tester
- Continuous buzzer

**17234
Lead Wires for 17217**

**17235
Replacement Fuse for 17217**

- Fuse - 5 x 20 mm 2.0A 250V

**17230
Digital Multi Meter**

- 3-1/2 LCD display
- DC current: 10A
- Diode test
- DC voltage: 1,000V
- Resistance: 2M Ω
- Single injector
- AC voltage: 750V
- Safety lead

**17233
Lead Wires for 17230**

**17232
Replacement Fuse for 17230**

- Fuse - 5 x 20 mm 2.0A 250V

**17231
Multi Tester Case**

- Use with Part Number 17230

**17240
Line Voltage Monitor**

- Accurate continuous voltage readings
- Easy to read expanded scale
- Plugs into any 120 volt receptacle
- Can save costly repair bills
- A must for "brownout" areas
- A must for electrical, marine and HVAC industry





**17207
Inductive Plastic Timing Light**

- Rugged high impact plastic
- Inductive clamp for easy hook up
- Long life xenon flash tube
- Works on all 12 volt standard or electronic ignition systems
- Solid state circuitry with overload protection

**17216
Die Case Inductive Professional Timing Light**

- Die cast metal housing
- Heavy duty professional lead wires
- Inductive clamp for easy hook-up
- Replaceable long life flash tube (17204)
- Works on all 12 volt standard or electronic ignition systems
- Protective double check warning light
- Solid state circuitry with overload protection

**17226
Die Cast Inductive Professional Timing Light with Detachable Lead Wires and Advance**

- Die cast metal housing
- Heavy duty professional detachable lead wires
- Inductive clamp for easy hook-up
- Long life brilliant flash tube
- Works on all 12 volt standard or electronic ignition systems
- New timing advance
- Solid state circuitry with overload protection

**17208
Tach-Dwell Tester**

- Works on all 4-6-8 cylinder standard or electronic ignition systems
- Solid state zener-stabilized circuitry

- Inductive pick-up for easy hook-up
- Works on 12 volt positive or negative ground
- Rugged ABS plastic case
- Tachometer ranges
 - 4 cylinder 0-2400 R.P.M.
 - 6 cylinder 0-1600 R.P.M.
 - 8 cylinder 0-1200 R.P.M.
- Dwell ranges
 - 4 cylinder 0°-90°
 - 6 cylinder 0°-60°
 - 8 cylinder 0°-45°

**17210
Inductive 10 Function Engine Analyzer**

- Works on all 4-6-8 cylinder standard or electronic ignition systems
- Solid state zener-stabilized circuitry
- Inductive pick-up for easy hook-up
- Works on 12 volt positive or negative ground
- Rugged ABS plastic case
- Tachometer ranges
 - High 0-6000 R.P.M.
 - Low 0-1600 R.P.M.
- Dwell ranges
 - 4-6-8 cylinder 0°-80°
- Volt ranges
 - High 0-20 volts
 - Low 0-2 volts
- Amp ranges
 - High 0-100 amps
 - Low 0-10 amps
- Ohms ranges
 - High 0-50K
 - Low 0-500
- Point condition
 - Good/bad



17227 DIGITAL TIMING LIGHT



Heavy Duty Die Cast Body

- Works on all 12v ignition system vehicles
- Large led display/indicator shows accurate reading
- Bright bulb provides concentrated light for easy visibility of timing mark
- Detachable clamp on inductive pickup for easy and safe hookup

TACH: 0 - 8000 RPM

ADVANCE: 0 - 60 DEGREE

DWELL: 0 - 99.9%

VOLT: 0 - 16V

REPLACEMENT WIRE LEAD 17227L

REPLACEMENT XENON BULB 17226XT

17228 DIGITAL ENGINE ANALYZER



- Multi Function
- 10 Mega Ohm Impedance
- Highly Accurate

40 Ranges

DCA

ACV

DCV

ACA Ohms

Frequency

Temperature

RPM

Secondary Tach

Dwell angle

Duty cycle

Diode

Continuity beeper

18 mm LCD

Optional Attachments (pictured):

- 17708 Temperature Probe
- 17709 RPM Inductive Clamp



Clark Brothers Instrument Company, a well-established supplier to the OEM and Heavy Duty markets, is now making those products available to the Automotive Aftermarket. All of their products are manufactured in the USA. The products being offered are as follows:

Full line of gauges for the HEAVY DUTY, OFF-ROAD and INDUSTRIAL MARKETS.


Full line of SPEEDO/TACH CABLES & ADAPTERS, including the ALL MAKES PROGRAM. The All Makes program eliminates the need to carry expensive cable kits and tools, and the training of one or more people to make up cables. Also, there is a similar program for adapters which reduces inventory.

The most important aspect of the Clark offering is that you now have an avenue to enter the profitable Heavy Duty, Off-Road and Industrial markets. These markets are still untouched by the chain retailers and can give you an alternative niche not being pursued by everyone.



SPEEDOMETER ACCESSORIES

Our complete line of speedometer accessories include: speedometer and tachometer cables, cable components, gear ratio adapters, assemblies and components.



Accurate Instruments Division

Clark Brothers Instrument Company

56680 Mound Road
Shelby Township, MI 48316
(810) 781-7000 FAX (810) 781-7005

